Subject No. 519.

Drinking water-supply for Gundlupet Town.

Summary of discussion.—The town of Gundlupet was formerly supplied with drinking water from the Vijayapur tank by means of a conduit of brick and chunam, now out of repair. If this be restored up to the fort, arrangements may be easily made to let water into the town in the old conduits which still exist.

Dewan's reply.—The matter is reported to be under investigation by the Sanitary Engineer.

Subject No. 520.

Grant for grain doles in Gundlupet Chattram.

Summary of discussion.—The Paditara amount assigned to the Gundlupet Chattram is Rs. 35 per month. This amount is just enough to supply bare rice to travellers. Government should sanction an additional grant of Rs. 35 per mensem for distributing condiments also.

Dewan's reply.—No.

Subject No. 521.

The English School at Chamrajnagar.

Summary of discussion.—The private English school at Chamrajnagar should be taken under Government management.

Dewan's reply.—For disposal by the Education Department.

Subject No. 522.

(a) Railings for Bendravadi Tank bund.

(b) Bridges on Chamrajnagar-Santemarahalli Road.

Summary of discussion.—(*a*) The Nanjangud-Chamrajnagar road passes over the bund of the Bendravadi tank, and to prevent accidents, railings should be put up on both sides.

(*b*) The road from Chamrajnagar to the large market place at Santemarahalli is intersected in two places by unbridged jungle streams. The road is not metalled, and being chiefly of black cotton soil and in disrepair, it is very heavy and inconvenient for the large number of carts that have to use it. A thorough overhauling and improvement is much needed.

Dewan's reply.—For attention in the P. W. D., and in the Local Fund Board.

Subject No. 523.

Compensation for lands taken up for public purposes in Nanjangud Taluk.

Summary of discussion.—The compensation due for lands taken up for channels and Railway in the Nanjangud Taluk, have not yet been paid.

[The Deputy Commissioner explained that the accounts were under preparation.]

Dewan's reply.—The Deputy Commissioner will expedite disposal.

Subject No. 524.

Nanjangud water-supply project.

Summary of discussion.—It appears that the project for supplying Nanjangud with good water conveyed through pipes from higher parts of the Kapila river has been deferred. The project should be carried out, as it would improve the sanitary condition of the town and the convenience of the numerous pilgrims visiting the place.

Dewan's reply.—The Sanitary Engineer will expedite matters.

Subject No. 525.

Nanjangud Town Police.

Summary of discussion.—More Town Police are required for Nanjangud. House-breaking and theft are frequent. Several of the existing Police staff, being detailed on orderly and other duties, are not available for regular Police duty.

Dewan's reply.—The Deputy Commissioner will be asked to inquire into this.